

INDEX MAPS.

T.23 N. R. 6 E. Mer.

218	218	219	219	219	220	
223 6	250 5	242 4	237 3	233 2	228 1	217
250	249	242	237	232	227	
222 7	249 8	241 9	236 10	231 11	227 12	217
248	248	241	236	231	226	
222 18	247 17	240 16	236 15	231 14	226 13	216
247	246	240	235	230	225	
221 19	245 20	239 21	235 22	230 23	225 24	216
245	244	239	234	229	225	
221 30	244 29	239 28	234 27	229 26	224 25	215
243	243	238	233	229	224	
221 31	243 32	238 33	233 34	228 35	223 36	215
213	213	213	214	214	215	

T.24 N. R. 6 E. 2^d Mer.

259	259	259	260	261	261	
264 6	304 5	293 4	285 3	278 2	271 1	258
303	302	292	285	278	271	
263 7	301 8	292 9	284 10	277 11	270 12	257
301	300	291	284	276	270	
263 18	299 17	290 16	283 15	276 14	269 13	257
299	298	290	282	275	269	
262 19	297 20	289 21	281 22	275 23	268 24	257
297	296	288	281	274	267	
262 30	295 29	288 28	280 27	273 26	266 25	256
295	294	287	279	273	265	
262 31	293 32	286 33	279 34	272 35	265 36	256
253	253	254	254	254	255	

The figures on the lines refer to the page.

213

Township No. 23 N. Range No. 6 E. 2nd Mer. Indiana,
Chs. Lks.

South Boundary.

Var. 4th 30' E.

- N. 89.30' E. On S. Boundary of Sec. 31.
 12.11 a W. Oak 20 in. diam.
 37.41 Set 2nd Sec. post p. wh.
 a Maple 10 in. diam. to N. 20 W. 20 lbs. x
 a Sycamore 12 " " " 170 E. 7 "
 59.66 a Maple 12 " "
 77.41 Set post cor. to Sec. 31 x 32 p. wh.
 a Maple 6 in. diam. to N. 57 W. 32 lbs. x
 a B. Ash 6 " " " N. 12 E. 16 "

Same Survey with 2nd Rate
 Maple, Ash, Elm, Oak, Sycamore,
 Beech, Sugar, Hickory &c

- N. 89.30' E. On S. Boundary of Sec. 32. Var. 4th 40' E.
 20.73 an Elm 16 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a B. Ash 8 in. diam. to N. 2 E. 30 lbs.
 a Beech 7 " " " 1.2 W. 17 "
 65.25 an Elm 10 " "
 80.00 Set post cor. to Sec. 32 x 33 p. wh.
 a Sycamore 12 in. diam. to N. 35 E. 30 lbs.
 a B. Ash 12 " " " N. 34 W. 10 "

Same Survey with 2nd Rate
 Clay Soil - Maple, Ash, Oak, Sycamore,
 Elm, Beech, Sugar, Gum &c

- N. 89.30 On S. Boundary of Sec. 33. Var. 4th 40' E.
 19.44 a Beech 8 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a B. Oak 6 in. diam. to N. 10 W. 20 lbs. x
 a B. Ash 8 " " " N. 34 E. 32 "
 59.96 a W. Wood 14 " "
 62.50 a Beech 10 " "
 74.00 a Stream 10 lbs. wide co. N. W. sluggish -

T. 23 N. R. 6 E. 2nd Mer. Indiana

chs. lks.

80.00 Set post Cor. to Sec. 33 & 34 p. wh.
 a W. Ash 10 in. diam. N. 57 W. 36 lks.
 a Sugar 12 " " " N. 70 E. 37 "
 Lane Survey and 2nd Rate
 clay soil - Beech, Ash, Maple, Oak,
 Lym. Sugar, W. Wood, Ironw. Hickory
 Elm &c

189308 On S. Boundary of Sec. 34 Var. 4.40' E.

21.97 a B. Oak 10 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Maple 7 in. diam. N. 30 E. 2 lks. &

a Do 10 " " " N. 48 W. 15 "

47.00 a Spruce 10 lks. wide ce. N. W.

62.33 a Lym 10 in. diam.

80.00 Set post Cor. to Sec. 34 & 35 p. wh.

a W. Oak 6 in. diam. N. 83 W. 9 lks.

a Lym 9 " " " N. 34 E. 22 "

Lane first half rolling
 fine rate clay soil - Chalk level p.
 wh. - Lym, Elm, Oak, Ash, Maple,
 Hickory, Beech, Sugar &c

189308 On S. Boundary of Sec. 35 Var. 4.15' E.

18.38 an Elm 14 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 7 in. diam. N. 42 E. 8 lks. &

a W. Beech 6 " " " N. 38 W. 25 "

56.80 a Beech 8 " " "

80.00 Set post Cor. to Sec. 35 & 36 p. wh.

a Beech 7 in. diam. N. 78 W. 42 lks.

a Sugar 14 " " " N. 43 E. 64 "

Lane slightly rolling fine
 rate clay soil - Beech, Sugar, Oak, Elm,
 Ironw. Hickory, Ash, Maple &c

215

L23 N. R. 6 E. 2nd Mer. Indiana,
chs. lks.

N 89.30 E, On S. Boundary of Sec. 36. Var. 4.50' East
20.40 a W. Ash 12 in. diam.

24.00 a Rowel N.Y.

40.00 Set 2^d Sec. post pr. wh.
a Beech 8 in. diam. B. N 30 E. 15 lks.
a Do 6 " " " " 170 E. 19 "

57.80 a Buckeye 12 " "

80.00 Set post Cor. to Towns. 22 x 23 North
Ranges 6 x 7 E. pr. wh.
a Beech 8 in. diam. B. N 40 E. 41 lks.
a Do 10 " " " " 438 W. 38 "

Intimata at Temp. post

Land slightly rolling firm
rate Clay soil Beech, Sugar, Hickory,
W. B. Ash, Elm, Lym, Maple, Oak.
Spruce

East Boundary.

Var. 4.55' E.

N. 10' W. On E. Boundary of Sec. 36

22.60 a W. Oak 30 in. diam.

40.00 Set 2^d Sec. post pr. wh.
a Beech 6 in. diam. B. N 26 W. 29 lks.
a Do 15 " " " " 159 E. 30 "

57.85 a Do 10 " " "

80.00 Set post Cor. to Secs. 25 x 36 pr. wh.
a Beech 6 in. diam. B. N 54 W. 22 lks.
a Sugar 4 " " " " 185 W. 32 "

Land level fine rate - Clay
soil - Beech, B. Walnut, Elm, Lym,
Ironw. W. Wood, Buckeye, Oak, Cherry, W.
B. Ash. - Spruce

N. 10' W. On E. Boundary of Sec. 25

18.00 Enter B. Ash Swale S. E.

21.80 an Elm 12 in. diam.

T. 23 N. R. 6 E. 2nd Mer. Indiana,

cho. lks.

40.00 Set 2nd Sec. post p. wh.
 a W. Ash 12 in. diam. to 32 N. 16 lks.
 an Elm 10 " " " N 47 E. 44 "

58.00 Land Swale Exp W.

61.70 a W. Wood 10 in. diam.

80.00 Set post Cor. to Sec. 24 & 25 p. wh.
 a Sugar 12 in. diam. to 112 N. 20 lks.
 a Beech 12 " " " 40 W. 74 "

Land except Swale from rate
 Beech, Sugar, Oak, Ironwood, W. Wood
 Lym. Buckeye, Cherry, Boxwood,
 Spruce -

N. 10 W. On E. Boundary of Sec. 24

20.50 a Road Exp W.

20.80 a W. Ash 15 in. diam.

40.00 Set 2nd Sec. post p. wh.
 a B. Ash 10 in. diam. to 50 E. 29 lks.
 a Beech 6 " " " 71 W. 19 "

49.00 a Stream 8 lks. wide co. West

61.50 a W. Wood 12 in. diam.

72.00 a Stream 8 lks. wide co. West

80.00 Set post Cor. to Sec. 13 & 24 p. wh.
 a Beech 10 in. diam. to 35 W. 13 lks. &
 a Do 10 " " " 39 W. 33 "

Land from rate Clay
 Soil - Beech, Sugar, Lym. Ironwood,
 W. Wood, Elm, Box, Blue Ash, Oak,
 Sycamore - Nov. 24, 1846,

N. 10 W. On E. Boundary of Sec. 13

21.70 a W. Wood 10 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 10 in. diam. to 15 W. 36 lks. &

a W. Ash 12 " " " 60 E. 29 "

59.85 a W. Wood 12 " "

217

T. 23 N. R. 6 E. 2nd Mer. Indiana.

cho. lks.

80.00 Set from Cor. to Sec 12 & 13 p. wh.
a Beech 12 in. diam. θ θ 32 W. 49 lks.
a Do 10 " " " θ 32 E. 56 "

Land Lure firm rate rich
Clay soil. Beech. Sugar. Hickory,
Ash. Elm. Maple. Lym. Ironwood,
W. B. Oak, W. Wood &c

N. 10 W. On E. Boundary of Sec. 12

17.50 a Beech 10 in. diam.

40.00 Set 2nd Sec. from p. wh.

a Beech 10 in. diam. θ θ 27 E. 16 lks.

a Do 10 " " " θ 33 W. 26 "

74.00 an Elm 14 " "

80.00 Set from Cor. to Sec 1 & 12 p. wh.

an Elm 12 in. diam. θ θ 41 W. 50 lks.

a Lym 6 " " " θ 80 W. 34 "

Land Lure firm rate. Beech.
Elm. Lym. Ironw. Sugar. W. B. Oak,
P. Walnut, W. Wood, Boxwood, Hickory,
Locust, Buckeye, W. B. Ash. Blue Ash,
Spruce

N. 10 W. On E. Boundary of Sec. 1

20.30 an Elm 12 in. diam.

21.50 a Road E. & W.

40.00 Set 2nd Sec. from p. wh.

a Beech 12 in. diam. θ θ 66 E. 30 lks.

a W. Wood 12 " " " θ 75 W. 23 "

50.50 a Beech 15 " "

80.20 Intermittent Town Line at from

Sec N. Boundary for W. B. Oak

Land Lure firm rate
Beech. W. B. Oak. Lym. Sugar. Elm.
Ironw. Boxwood, W. Wood. Locust. P. Wal-
nut, Hickory, Maple, Ash. P. Ash & Spruce

T. 23. N. R. 6 E. 2nd Mer. Indiana
Chs. Lks.

North Boundary.

Vari. 4th East

- N 89° 30' E. On S. Boundary of Sec. 31. T. 24 N. R. 6 E.
5.48 a Maple 10 in. diam.
25.00 a Road N. & S.
26.00 Clear wt Land
36.00 Set 2nd Sec. for pr. wh.
a Birch 15 in. diam. N. 38 W. 16 lbs. &
a B. Ash 8 " " " S. 45 W. 12 "
42.89 a Sugar 10 " "
76.00 Set for Cor. to Sec. 31 & 32 in West
Margin of Wet Land pr. wh.
an Elm 15 in. diam. N. 58 W. 42 lbs.
a Do 20 " " " N. 17 E. 25 "
Land here rather wet, but
rich Clay soil, B. Ash. Elm. Maple,
W. Birch, Sup. W. Oak, Sycamore fr.
Unagth. Spice & P. Ash

N 89° 30' E. On S. Boundary of Sec. 32. T. 24 N. R. 6 E.
Variation 4th East

- 4.35 a W. Ash 8 in. diam.
5.00 Clear wt Land N. & S.
27.00 Enter wt Land S. & N. W.
36.00 Clear wt Land N. & S.
40.00 Set 2nd Sec. for pr. wh.
a Birch 10 in. diam. N. 46 W. 15 lbs. &
a Do 8 " " " S. 67 E. 30 "
43.15 a Lym 10 " "
53.00 a Straw 10 lbs. wide cast N. W. rapia
80.00 Set for Cor. to Sec. 32 & 33 pr. wh.
a Lym 12 in. diam. N. 56 W. 42 lbs.
a W. Oak 12 " " " N. 33 W. 23 "
Land here wt clay soil
fir. rate, N. B. Ash. Elm. Maple. Lym. Sup. Oak,
Sycamore. W. Willow - P. Ash & Spice -

T23 N. R. 6 E. 2nd Mer. Indiana. 219

Ch. lks.

N89.36E On S. Boundary of Sec. 33. T24N. R. 6 E.
Variation 4.15 East

- 4.55 a Sym 10 in. diam.
24.00 Gates W. L. Lane N. 29.
45.00 Set 2nd Sec. post p. wh.
a B. Ash 10 in. diam. to S. 28 W. 7 lks. &
an Elm 12 " " " N. 28 E. 26 "
45.12 a Hickory 15 " "
50.00 Lane W. L. Lane N. 29.
81.00 Set post Cor. to Sec. 33 & 34 p. wh.
a Beech 10 in. diam. to N. 60 W. 30 lks. &
a B. Oak 20 " " " N. 75 E. 49 "

Lane S. W. L. Lane p. wh. rate-
Clay soil - Some parts of this mile
rather too wet for cultivation. Timber
Beech, Sugar, Sym. W. B. Ash, Sugar, &
mon, L. Oak, Maple, Hickory, &
W. Oak, Spruce & P. Ash

N89.36E On S. Boundary of Sec. 34. T24N. R. 6 E.
Variation 4.15 East

- 5.50 a Hickory 12 in. diam.
40.00 Set 2nd Sec. post p. wh.
a B. Ash 8 in. diam. to S. 35 W. 11 lks.
a Beech 8 " " " N. 51 W. 25 "
46.19 a Sym 10 " "
80.00 Set post Cor. to Sec. 34 & 35 p. wh.
a Beech 10 in. diam. to N. 40 E. 46 lks.
a Sugar 12 " " " N. 37 W. 49 "

Lane S. W. L. Lane p. wh. rate-
Clay soil - Elm, Sycamore, Sym. Ironw.
Hickory, W. Wood, Beech, Sugar, B. Walnut &
Spruce & P. Ash. Nov. 13. 1846

N89.36E On S. Boundary of Sec. 35. T24N. R. 6 E.
Var. 4.20 East

T. 23 N. R. 6 E. 2nd Mer. Indiana.

ch. lks.

- 5.55 a B. Oak. 10 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a Beech 8 in. diam. N 32 E. 30 lks.
 a B. Ash 8 " " 4.29 E. 25 "
 46.36 a Beech 8 " "
 49.50 a Road N. & S.
 80.00 Set post Cor. to Sec. 35 & 36 p. wh.
 a B. Ash 10 in. diam. N 6 W. 32 lks. &
 an Elm 16 " " " N 22 E. 42 "
 Land Level not fine rate
 Clay Soil - W. B. Ash, Elm, Oak,
 Gum, Hickory, Locust, Maple,
 Sugar Beech, Buckeye, & Spice B. Ash.

189.36 On S. Boundary of Sec. 36, T. 24 N. R. 6 E.
 Variation 4.20 East

- 5.85 a B. Ash 8 in. diam.
 24.50 a Road N. & S.
 35.00 Enter W. & S. Land N. & S.
 40.00 Set 2nd Sec. post p. wh.
 a B. Ash 8 in. diam. N 38 E. 10 lks. &
 a Do 8 " " 4.18 E. 28 "
 44.12 a W. Ash 18 " "
 47.00 Land not Land N. & S.
 68.50 a Stream 15 lks. wide co. Southernly
 Shaggy Muddy Bottom
 80.00 Set post Cor. to Towns 23 & 24 North
 Ranges 6 & 7 East p. wh.
 a Beech 14 in. diam. N 17 W. 53 lks.
 a Do 16 " " 8.30 E. 49 "

Land Level not fine rate
 Clay Soil - Timber of same as last
 this Boundary.

This whole S. Boundary
 is level not Clay Soil - fine rate. In
 wet seasons is probably covered with

221

T. 23 N. R. 6 E. 2nd Mer. Indiana

water to the depth of two feet as
is indicated on the Truss for

West Boundary.

N. 5th W. On E. Boundary of Sec. 36, T. 23 N. R. 5 E. Var. 4th 15' East
21.48 an Elm 12 in. diam.
40.00 Set 2nd Sec. port for wh.
a W. Ash 10 in. diam. to N. 30 W. 26 lbs.
a Lym 10 " " " S. 55 W. 13 "
47.00 Enter Swamp Ex W.
51.00 Leave 20 Ex W.
61.28 a Sycamore 20 in. diam.
80.00 Set port Cor. to Sec. 25 & 36, for wh.
a Beech 12 in. diam. to N. 52 W. 82 lbs.
a Sugar 12 " " " S. 40 W. 72 "
Lance sure pin rate Clay
Soil - Beech, Sugar, Elm, Hickory, Oak,
Lym, Ash, Buckeye, Sycamore &c

N. 5th W. On E. Boundary of Sec. 25, T. 23 N. R. 5 E. Var. 4th 15' E.
20.63 a W. Ash 10 in. diam.
40.00 Set 2nd Sec. port for wh.
a W. Beech 6 in. diam. to N. 88 E. 17 lbs. x
a Beech 8 " " " N. 50 W. 31 "
60.09 an Elm 12 " "
73.50 Enter Field Ex W. 10.00 W. 8.00 E.
78.50 Leave 20 Ex W.
80.00 Set port Cor. to Sec. 24 & 25 for wh.
a Beech 10 in. diam. to N. 35 W. 36 lbs. dia.
a 20 10 " " " S. 66 W. 75 " "
Lance good pin rate Clay
Soil - Beech, Sugar, Hickory, Cherry, Oak,
Ash, Elm, Maple, Lym &c

N. 5th W. On E. Boundary of Sec. 24, T. 23 N. R. 5 E.

T. 23 N. R. 6 E. 2nd Mer. Indiana.Ch. 1st.

Variation 4° 15' East

- 13.50 a Road E. & W.
 16.00 a Stream 6 lks. wide co. W.
 19.21 a Birch 7 in. diam.
 46.00 Set 2nd Sec. for p. wh.
 a Birch 18 in. diam. b. N. 15 W. 26 lks. &
 a L^o 14 " " " 4.52 E. 16 "
 57.50 a Road E. & W.
 60.00 Descend Bank 15 feet
 61.10 an Elm 12 in. diam.
 63.50 a Stream 20 lks. wide co. S. W.
 70.00 Ascend Bank 10 feet
 80.00 Set for Cor. to Sec. 13 & 24 p. wh.
 a Birch 10 in. diam. b. S. 20 W. 15 lks. &
 a L^o 8 " " " N. 18 W. 46 "

Land good rolling firm rate.
 Clay Soil. Birch, Ash, Sugar. Elm,
 Hickory, Lym. Oak, Ironw. Buckeye,
 Maple, — Spruce —

N. 5th Qn E. Boundary of Sec. 13 T. 23 N. R. 5 E.
 Variation 3° 45' East

- 21.96 a Hickory 14 in. diam.
 46.00 Set 2nd Sec. for p. wh.
 an Elm. 7 in. diam. b. S. 72 E. 15 lks. &
 a Birch 14 " " " N. 72 W. 36 "
 61.96 a Lym 28 " "
 80.00 Set for Cor. to Sec. 12 & 13 p. wh.
 a Birch 8 in. diam. b. S. 75 W. 28 lks. &
 a L^o 8 " " " N. 35 E. 27 "

Land rolling firm rate. Birch,
 Sugar. Hickory. Elm. Lym. Oak, Ash,
 Walnut, Buckeye, Sycamore

N. 5th Qn E. Boundary of Sec. 12 T. 23 N. R. 5 E.
 Variation 3° 45' East

T. 23 N. R. 6 E. 2nd Mer. Indiana

223

Chs. lks.

- 11.50 a Road N. N. E.
 22.35 a Hickory 12 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a W. Ash 10 in. diam. N. 30 W. 48 lks.
 a Beech 12 " " S. 45 E. 12 "
 53.00 a Road E. & W.
 73.70 a Beech 10 in. diam.
 75.00 a Stream 15 lks. wide c. N. W.
 80.00 Set post Cor. to Sec. 1 & 12 p. wh.
 a Beech 10 in. diam. E. 75 W. 14 lks.
 an Elm 20 " " " N. 10 W. 40 "
 Land slightly rolling firm rate
 clay soil. Beech, Sugar, Ash, Oak, Gum,
 Elm, Walnut, Buckeye, Hickory, &c

N. 5 W. On E. Boundary of Sec. 1 T. 23 N. R. 5 E.
 Variation 4th East

- 19.80 a W. Ash 30 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a Sycamore 24 in. diam. E. N. 5 E. 20 lks.
 an Elm 30 " " " S. 65 W. 52 "
 44.00 a Beech 10 " "
 74.23 Intermittent Town Cor. at post p. wh.
 a W. Ash 12 in. diam. E. N. 6 W. 52 lks.
 an Elm 12 " " " S. 82 E. 47 "
 Land level and rich firm
 rate clay soil. Beech, Elm, Sugar, Gum,
 Sycamore, Oak, Buckeye, Maple &c
 Wm. H. Spier Jr. Nov 23. 1846.
 Surveyed by John Mullett
 L. S. J. Surveyor

Subdivision

Var. 4.50 East

- N. 10 W. Between Sections 35 & 36
 18.45 a W. Ash 12 in. diam.

224 T. 23 N. R. 6 E. 2nd Mer. Indiana,
chs lks.

40.00 Set 2nd Sec. post p. wh.
a Beech 12 in. diam. B. S. 11 W. 20 lks. dis.
a Ho 12 " " " N. 48 E. 24 " "
41.00 a Road E. S. E. & W. N. W. " " "
45.00 a Stream 10. lks. wide co. S. W. Muddyish
with Muddy Bottom
60.50 a Beech 10 in. diam.
80.00 Set post Cor. to Sec. 25, 26, 35, & 36 p. wh.
a Beech 15 in. diam. B. S. 14 W. 27 lks. &
a Ho 10 " " " " N. 21 E. 29 "
Land gently rolling fine
rate Clay soil. Beech, Sugar, W.
Ash, Elm, Lym, Hickory, Buckeye,
Cherry, Ironb. & some P. Oak & Spire -

N. 89° 30' E. On Random Bator Sec. 25 & 36
79.94 Intersected E. Boundary at post
Land of same as last mile -

N. 89° 30' W. On Same Line
19.20 a Beech 10 in. diam.
39.97 Set 2nd Sec. post p. wh.
a Lym 12 in. diam. B. S. 22 E. 34 lks. &
a Hickory 10 " " " " S. 65 W. 19 "
59.86 a B. Ash 12 " " "
79.94 to Sec. Cor.

North Between Sections 25 & 26
20.90 a Beech 12 in. diam.
40.00 Set 2nd Sec. post p. wh.
a Beech 10 in. diam. B. S. 16 W. 24 lks.
a Ho 8 " " " " S. 28 E. 24 "
53.00 a Hickory 12 " " "
80.00 Set post Cor. to Sec. 25, 26, 23, 24 p. wh.
a Lym 12 in. diam. B. S. 21 W. 23 lks. &
a W. Oak 30 " " " " S. 37 E. 24 "

225

T 23 N. R. 6 E. 2nd Mer. Indiana.
chs. lks

Land here rather wet - but
fine rate clay soil - W. B. Ash, B.
Walnut, Hickory, Lym. Sycamore
Buckeye, Cherry, Beech, Sugar maple - Angl.
P. Ash. Spice & Thorn

18930 E. On Random Bets. Sec. 24 & 25
80.10 Intersected E. Boundary, 11 lks. N. of post
Land here fine rate clay
soil B. Walnut, Hickory, Lym. Ironwood,
Buckeye &c

18930 W. Corrected Bets. Sec. 24 & 25
17.25 a W. Wood 30 in. diam.
40.05 Set 2nd Sec. post p. wh.
a W. Ash 10 in. diam. N 88 E. 16 lks. &
a Beech 8 " " S. 60 W. 50 "
71.91 a Do 10 " "
80.10 to Sec. Cor.

N. 10 W. Between Sections 23 & 24
22.22 a Lym. 8 in. diam.
40.00 Set 2nd Sec. post p. wh.
a Beech 15 in. diam. S. 88 E. 40 lks.
a Do 12 " " " N 72 W. 54 "
42.00 a Road E & W.
50.00 a Stream 12 lks. wide c. W.
67.85 a Beech 12 in. diam.
80.00 Set post Cor. to Sec. 13, 14, 23, 24 p. wh.
a Beech 15 in. diam. S. 42 E. 22 lks.
a Do 15 " " " N 75 W. 46 "
Land gently rolling, fine
rate Beech, Sugar, Ironwood, Elm, Lym.,
W. Wood, Hickory, B. Walnut &c

18930 E. On Random Bets. Sec. 13 & 24

T. 23 N. R. 6 E. 2nd Mer. Indiana.

chs lks.

- 20.00 Enter Swamp N.N.W.
 35.00 a Stream 10 lks. wide co. N.W. sluggish
 55.00 Leave Swamp N.W.
 79.68 Interseta E. Boundary 15 lks. N. of junction
 Land same as
 last mile - except Swamp

Wesl. Cornelia Betwth Sed. 13 & 24

18.30 an Elm 12 in. diam.

39.84 Set 2nd Sec. from pr. wh.

a W. Oak 8 in. diam. to 19 E. 3 lks.

" " 12 " " " N. 13 W. 30 "

58.16 a Maple 8 " "

79.68 to Sec. Cor. Set 14, 1846

N. 10th W. Between Sections 13 & 14

13.00 Enter Marsh E. & W.

15.00 a Stream 15 lks. wide co. Westward
 Sluggish with Muddy Bottom

22.00 Leave Marsh E. & W.

26.50 a W. Oak 12 in. diam.

40.00 Set 2nd Sec. from pr. wh.

a Beech 14 in. diam. to Wesl 22 lks.

a Lym 10 " " " N. 62 E. 43 "

62.00 a W. Oak 36 " "

80.00 Set from Cor. to Sed. 11, 12, 13, 14, pr. wh.

a Beech 10 in. diam. to N 35 W. 48 lks.

a W. Wood 12 " " " N 47 E. 21 "

Land slightly rolling from
 rate Beech, W. B. Oak, Sugar, Cy. m. Iron.
 Hickory, B. Walnut & Spruce P. Oak

N. 89.30 E. Q. 11. Random Betwth Sed. 12 & 13

79.80 Interseta E. Boundary 20 lks. N. of junction

Land slightly rolling from
 rate. Clay soil, Beech, W. B. Oak, Sugar

227
T. 23. N. R. 6 E. 2nd Mer. Indiana.
ch. lks.

Sym. Ironw. Hickory, B. Walnut &
Spice & P. Ash,

West Cornuted Bctw^o Sed 12 & 13

10.57 a Hickory 10 in. diam.

39.90 Set 2nd Sec. post p. wh.

a Beech 10 in. diam. N. 45 E. 14 lks.

a Sym 6 " " " N. 1 W. 42 "

57.12 a B. Ash 10 " "

79.80 to Sec. Cor.

N. 20 W. Between Sections 11 & 12

21.27 an Elm, 12 in. diam.

40.00 Set 2nd Sec. post p. wh.

a B. Ash 6 in. diam. N. 69 E. 12 lks.

a Ho 10 " " " N 86 W. 26 "

57.36 an Elm 15 " "

71.50 a Road E. & W.

80.00 Set post Cor. to Sed. 1, 2, 11, 12 p. wh.

a Beech 12 in. diam. N. 32 W. 49 lks.

a B. Ash 8 " " " N. 29 E. 43 "

Land slightly rolling firm
rate Sugar, Beech, Elm, Sym. Ironw.
W. B. Oak, B. Walnut, Hickory &

N. 89.30 E. On Random Bctw^o Sed 1 & 12

15.00 a Straw 6 lks. wide cor. N. W.

66.00 a Road E. & W. E.

79.90 Interrupted E. Boundary 11 lks. S. of post

Land level firm rate Clay
Soil - Sugar, Beech, Elm, Sym. Ironw.
W. B. Oak &

N. 89.30 W. Cornuted Bctw^o Sed. 1 & 12

21.50 a Sugar 10 in. diam.

39.95 Set 2nd Sec. post p. wh.

T. 23 N. R. 6 E. 2nd Mer. Indiana

chs. lks.

a Beech 10 in. diam. b. 135 E. 18 lks. &
 a Do 10 " " " N. 14 E. 25 "
 61.20 a Sugar 15 " "
 79.90 to Sec. 6 or.

N. 20 W. Between Sections 1 & 2
 15.00 Enter Low B. Ash Lane E. & W.
 20.20 a B. Ash 6 in. diam
 25.00 a Stream 8 lks. wide co. N. W. (w. weather)
 40.00 Set 2nd Sec. post p. wh.
 a W. Oak 8 in. diam. b. 169 W. 8 lks. dis.
 a W. Ash 12 " " " N. 46 E. 15 "
 52.30 a Road co. E. N. E.
 60.20 a B. Ash 4 in. diam. & Lean Low Lane
 78.80 Intermittent N. Boundary, at post p. wh.
 a B. Ash 12 in. diam. b. 139 W. 10 lks. &
 a Beech 10 " " " " 7 E. 53 "
 Lane Level w. fine rate
 Clay soil. W. B. Ash, Elm, Beech,
 Lym. Sycamore, Ironwood, Magnolia,
 P. Ash &c. Dec. 15. 1846

N. 10 W. Between Sections 34 & 35
 35.28 a Sycamore 18 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a B. Ash 10 in. diam. N. 21 E. 49 lks. &
 a Hickory 45 " " " N. 21 W. 34 "
 51.00 a Stream 10 lks. wide co. S. W.
 58.00 a Beech 12 in. diam.
 60.50 a Stream 10 lks. wide N. W. w. weather
 80.00 Set post Cor. to Sec. 26, 27, 34, 35 p. wh.
 a W. Ash 12 in. diam. b. 189 W. 28 lks. &
 a B. Ash 10 " " " " 78 E. 15 "
 Lane slightly rolling fine rate Clay soil
 Beech, Buckeye, B. Walnut, Hickory, Sugar, Cherry,
 Lym. W. Wood, W. B. Ash, Maple &c.

T. 23 N. R. 6 E. 2nd Mer. Indiana 229

Ch. 16₁

N. 89° 30' E. On Random Betwⁿ Sec. 26 & 35

34.00 a Road E. & E.

38.50 a Stream 10 lks. wide co. N.W. Muddyish
with Muddy Bottom

80.15 Interspectia N. & S. Line 18 lks. S. of pen
Land slightly rolling first rate
clay soil - Buck, Buckeye, B. Walnut, Hickory,
Sugar, Cherry, Sym. W. Wood W. & B. Ash,
Maple & - P. Ash & Spice

N. 89° 30' W. Cornelia Betwⁿ Sec. 26 & 35

20.15 a Buck 18 in. diam.

40.07 1/2 Sel 2nd Sec. just from

a Buck 30 in. diam. B. & S. E. 27 lks. dia

a Sugar 12 " " " N. 32° E. 10 " "

a Large Granite Rock 6th N. & E. 12 lks.

56.03 a Buck 18 in. diam.

80.15 to Sec. Cor.

N. 10° W. Between Sections 26 & 27

13.58 a Buckeye 12 in. diam.

22.50 a Road E. & W.

41.00 Sel 2nd Sec. just from

a Buck 10 in. diam. B. & S. 88 W. 24 lks. &

a Sugar 24 " " " N. 69° E. 13 "

61.64 a Llo 24 " "

80.00 Sel just cor. to Sec. 22, 23, 26, 27 from

a Buck 15 in. diam. B. & S. 31 W. 64 lks.

a Llo 12 " " " N. 59° E. 18 " "

Land gently rolling first
rate Clay Soil - Buck, Buckeye, Sym.
Hickory, W. & B. Oak, Cherry, Ironwood,
W. Wood & - P. Ash & Spice

N. 89° 30' E. On Random Betwⁿ Sec. 23 & 26

41.50 a Stream 10 lks. wide co. N.W. Muddyish.

T₂₃ N. R. & E. 2nd Mer. Indiana.

Chs. lks.

79.98 Interscutia N. & S. Line 20 lks. N. of point
Land same as last mile

89.30 lks. Cornelia Betu? Sec. 23 & 26

28.90 a B. Walnut 30 in. diam.

39.99 Set 2nd Sec. just from h.

a Beech 12 in. diam. E. N. 31 W. 31 lks.

a Do 12 " " " 443 E. 71 "

69.46 a Do 12 " "

79.98 to Sec. Co.

N. 10' W. Between Sections 22 & 23

12.50 a Road E. S. E.

13.50 a Stream 10 lks. wide co. Western, sluggish

22.36 a Sugar 18 in. diam.

40.00 Set 2nd Sec. just from h.

a Elm 18 in. diam. E. N. 33 W. 49 lks.

a W. Ash 10 " " " N. 58 E. 44 "

60.46 a Sugar 18 " "

80.00 Set just Cor. to Sec. 14, 15, 22, 23. from h.

a Beech 12 in. diam. E. N. 58 W. 17 lks. &

a Sugar 14 " " " 442 E. 31 "

Land slightly rolling firm rate.
Clay soil. Beech, Buckeye, Gum, Hickory,
W. B. Oak, Cherry, Ironwood, White Wood,
Alder, P. Ash & Spruce

89.30 lks. On Random Betu? Sec. 14 & 23

39.50 a Stream 10 lks. wide co. N. W. Sluggish

57.50 a Road E. S. E.

80.24 Interscutia N. & S. Line as from
Land same

89.30 W. On Same Line

14.05 a Beech 12 in. diam.

40.12 Set 2nd Sec. just from h.

T. 23 N. R. 6 E. 2nd Mer. Indiana. ²³¹

chs. lbs.

a Beech 12 in. diam. to 465 E. 56 lbs. dia.
 a Do 10 " " " N 31 W. 36 " "
 55.53 an Elm 15 " "
 80.24 to Sec. Cor. Dec^r 16, 1846

N. 10th Between Sections 14 & 15

11.00 Enter Swamp N. E. W.

17.00 a Stream 15 lbs. wide cc. W. Muggish
 x a W. Ash 12 in. diam

19.50 Leave Swamp N. E. W.

40.00 Set 2nd Sec. post p. wh.

a Beech 15 in. diam. to 58 W. 42 lbs. x

a Do 10 " " " N 41 E. 18 "

58.14 a W. Ash 12 " "

80.10 Set post Cor. to Sec. 10, 11, 14, 15 p. wh.

a W. Ash 12 in. diam. to N 60 W. 40 lbs.

a Beech 10 " " " N 30 E. 38 "

Land Soil fine red Clay
 Soil Sugar, Beech, Hickory, W. Ash, Symm.
 B. Walnut, & Spruce & R. Ash

N 89 30 E. On Random Betwst Sec. 11 & 14

25.00 a Stream 10 lbs. wide cc. W. Muggish

80.30 Intersctia N. & S. Line 25 lbs. N. of post

Same as same as last mile

N 89 40 W. Cornuta Betwst Sec. 11 & 14

21.00 a Sugar 18 in. diam.

40.15 Set 2nd Sec. post p. wh.

a W. Ash 12 in. diam. to S 30 W. 27 lbs. x

a Maple 12 " " " N 41 E 31 "

60.20 a B. Oak 8 " "

80.30 to Sec. Cor.

N. 10th Between Sections 10 & 11

18.00 a B. Oak 24 in. diam.

23 N. P. Co. 2nd Mer. Indiana.

chk. lks.

- 31.00 a Road E. N. E. of House 1.00 West
 40.00 Set 2nd Sec. post p. w. h.
 a Beech 12 in. diam. to 45 E. 40 lks. &
 a No 30 " " " 48 W. 38 "
 46.00 Enter Marsh S. 60 E.
 63.00 Leave No
 63.52 a W. Ash 6 in. diam.
 67.00 Enter Marsh E. & W.
 71.57 Leave No E. & W.
 80.00 Set post Co. to Sec. 2, 3, 10, 11 p. w. h.
 a W. Ash 12 in. diam. to 25 E. 33 lks. &
 a Beech 10 " " " 12 W. 57 "
 Land except Marsh gently
 rolling fine rate Clay Soil Sugar.
 Hickory, Beech, Syc. W. Ash, B. Walnut &c.

- 189.306 On Random Betw. Sec. 2 & 11
 5.00 a Stream 6 lks. wide co. South by West
 Weather - Muddy Bottom - Sluggish
 11.00 Enter Field N. & S. - 10.00 each way.
 24.50 Leave No N. & S.
 29.00 Enter Marsh N. E. & S. W.
 39.00 Leave No N. E. & S. W.
 45.00 a Road E. N. E.
 79.88 Interrupted N. & S. Line 10 lks. W. of post
 Land except Marsh level
 fine rate Clay Soil - Beech, White wood
 N. B. Ash, Hickory, Syc. B. Walnut &c.

- 189.306 Corrected Betw. Sec. 2 & 11
 8.25 a W. Wood 12 in. diam.
 39.94 Set 2nd Sec. post p. w. h.
 a B. Oak 13 in. diam. to 45 E. 33 lks.
 a W. Ash 10 " " " 10 E. 27 "
 79.88 to Sec. Cor.

233

T23 N. R6 E. 2nd Mer. Indiana

ch. bk.

North Between Sections 2 & 3

- 10.00 a Road N. E.
 20.00 a Maple 15 in. diam. and enter
 Low B. Ash Land E. & W.
 40.00 Set 2nd Sec. post p. wh.
 a Maple 10 in. diam. to S. 1/2 1/2 1/2 1/2
 a Sycamore 15 " " " N. 60 E. 10 "
 58.00 Leave Low B. Ash Land E. & W.
 60.00 a Hickory 8 in. diam.
 77.96 Intersected N. Boundary at post p. wh.
 a Beech 8 in. diam. to S. 1/2 1/2 1/2 1/2
 a Do 12 " " " S. 47 W. 30 " "
 Land level fine rate clay soil
 W. B. Ash, Beech, Hickory, Ironwood,
 Maple & Spruce P. Ash. Dec. 17, 1846.

North Between Sections 33 & 34

- 19.40 an Elm 10 in. diam.
 36.00 a Stream 20 ft. wide co. W. N. W.
 Muddy Bottom
 40.00 Set 2nd Sec. post p. wh.
 a Beech 12 in. diam. to N. 86 W. 13 1/2
 a Buckeye 8 " " " S. 47 E. 11 "
 63.57 a Beech 10 " "
 80.00 Set post Cor. to Secs 27, 28, 33, 34 p. wh.
 a Sugar 12 in. diam. to S. 66 E. 13 1/2
 a Beech 12 " " " N. 78 W. 31 " "
 Land level fine rate clay
 soil. Beech, Sugar, Sycamore, W. Wood,
 Ironw. Hickory, Sycamore, W. B. Ash &c.

N. 89.30 E. On Random Betw. Secs 27 & 34

- 41.00 a Stream 10 ft. wide co. E. W.
 80.50 Intersected N. Line 18 ft. N. of post
 Land & same as last mile -

234

T 23 N. R. 6 E. 2nd Mer. Indiana.

chs. lks.

189.30 W. Cornelia Betw. Sec. 27 & 34

35.05 a W. Ash 10 in. diam.

40.15 Sel 2nd Sec. just fr. wh.

an Elm 8 in. diam. to N 11 E 39 lks. &

a W. Beech 6 " " " N 14 E 17 "

63.40 an Elm 10 " "

80.30 to Sec. Cor.

North Between Sections 27 & 28

16.50 a Stream 10 lks. wide sluggish co. Wick. W.

21.48 a Beech 12 in. diam.

40.00 Sel 2nd Sec. just fr. wh.

a Sycamore 10 in. diam. to N 60 W 14 lks.

a B. Ash 10 " " " N 75 E. 5 "

58.82 a Beech 10 " "

77.00 a Stream 50 lks. wide co. W. S. W. sluggish

80.00 Sel just Cor. to Sec. 21. 22. 27. 28 fr. wh.

a Hackberry 12 in. diam. to N 42 E. 11 lks.

a Beech 8 " " " S. 63 W. 10 "

Land here rather wet fine
 rate Clay soil. Beech, Elm, W. B.
 Ash, Maple, Butternut & - Undergrowth
 P. Ash & Spruce

189.30 E. On Random Betw. Sec. 22 & 27

7.00 Wild Cat Creek 50 lks. wide sluggish co. S. W.

20.00 a Road N. W. S. E.

80.25 Intersected N. S. Line 10 lks. N. of post

Land slightly rolling fine
 rate Clay soil. Beech, Sugar. Ironwood
 W. Wood, B. Walnut, Cherry & -

189.30 W. Cornelia Betw. Sec. 22 & 27

20.10 a Lym. 8 in. diam.

40.12 Sel 2nd Sec. just fr. wh.

a Cherry 8 in. diam. to N 70 E. 18 lks.

235

123 N. R. 6 E. 2nd Mer. Indiana.
 Chs. Hs.

a B. Walnut 6 in. diam. N. 52 E. 11 lbs. x
 60.54 a B. Ash 10 " "
 80.25 to Sec. Cor.

North Between Sections 21 & 22
 Variation 42° 30' East

13.72 a Beech 10 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a Beech 10 in. diam. N. 50 W. 29 lbs. x
 a Do 10 " " " N. 13 W. 26 "
 62.55 a W. Wood 12 " "
 80.00 Set post Cor. to Secs. 15, 16, 21, 22 p. wh.
 a Beech 10 in. diam. N. 45 W. 40 lbs. x
 a Mulberry 12 " " " N. 7 1/2 W. 40 "
 Land gently rolling first
 rate. Beech, Sugar, Ironwood, Gum,
 White Wood, Hickory, B. Walnut &c.
 Wndgth. Spruce & P. Ash

N. 89° 30' E. On Random Betwth Secs. 15 & 22
 57.00 Enter Marsh N. E. of W. water 2 feet deep.
 66.00 Clear Do N. E. & W. - deep -
 80.10 Intersection N. & S. Line 20 lbs. ch. of post
 Land except Marsh, slightly
 rolling first rate Clay Soil - Beech,
 Sugar, Gum, Hickory, Elm, Maple,
 W. & B. Oak &c

N. 89° 30' W. Corner Betwth Secs. 15 & 22
 20.75 a Beech 10 in. diam.
 40.05 Set 2nd Sec. post p. wh.
 a B. Ash 12 in. diam. N. 39 W. 6 lbs. x
 a Do 12 " " " S. 6 E. 24 "
 59.78 a Beech 18 " "
 80.10 to Sec. Cor. Aprth 18, 1846

T. 23 N. R. 6 E. 2nd Mer. Indiana.

chs. lks.

North Between Sections 15 & 16.

- 487 a W. Wood 12 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a W. Oak 6 in. diam. to N 35 W. 13 lks.
 a W. Ash 10 " " " 480 E. 36 "
 70.71 a Beech 10 " "
 73.50 a Road E. N. E.
 80.00 Set post Cor. to Sec. 9, 10, 15, 16 p. wh.
 an Eden 12 in. diam. to N 55 W. 25 lks.
 a Do 14 " " " 446 E. 23 "
 Land slightly rolling first
 rate clay soil - Hickory, Gum,
 Ironwood, Sugar, Beech, Buckeye,
 B. Walnut, W. Woodpe. P. Ash, & Spruce

N. 89.30 E. Q. 4 Random Betw. Sec. 10 & 15

- 9.00 a Road E. N. E.
 79.78 Intermittent N. & S. Line 8 lks. N. of post
 Land gently rolling first
 rate clay soil - Hickory, Gum,
 Ironwood, Sugar, Beech, Buckeye,
 B. Walnut, W. Woodpe.

N. 89.30 W. Cornuta Betw. Sec. 10 & 15

- 20.50 a Sugar 12 in. diam.
 39.89 Set 2nd Sec. post p. wh.
 a Gum. 10 in. diam. to N 2 E. 24 lks.
 an Ironw. 10 " " " 414 W. 57 "
 53.45 a Sugar 12 " "
 79.78 to Sec. Cor.

North Between Sections 9 & 10

- 3.00 Enter Swamp. N. & W. } Water 2 feet
 12.00 Leave Do N. & W. } Deep
 18.35 a B. Oak 12 in. diam.
 26.50 a Road N. S. W.

237

T. 23 N. R. 6 E. 2nd Mer. Indiana

cho. lks.

40.00 Set 2nd Sec. post p. wh.
a Beech 10 in. diam. to 16 W. 20 lks. x
a B. Ash 8 " " " " 14 E. 50 "

55.20 a W. Oak 18 " " "

80.00 Set post Cor. to Sec. 3, 4, 9, 10 p. wh.
a Beech 8 in. diam. to 14 W. 29 lks. x
a Ho 8 " " " " 16 E. 14 "

Land Level Rich fine rate
Clay Soil - Beech, Hickory, B. Walnut,
Sycamore, Gum, Ironwood, W. B. Ash &c.
W. & H. Spice & P. Ash.

189.30 E. On Random Betwⁿ Sec 3 & 10

55.00 a House 60 lks. S.

76.50 a Road N. E. & S. W.

79.96 Interrupted N. S. Line 20 lks. N. of post
Land Level fine rate - Clay
Soil - Beech, Sugar, Gum, Sycamore,
Elm, W. B. Oak, W. B. Ash &c

189.30 W. Cornetted Betwⁿ Sec 3 & 10

17.45 a W. Ash 12 in. diam.

39.98 Set 2nd Sec. post p. wh.
a Beech 12 in. diam. to 13 E. 20 lks. x
a W. Ash 12 " " " " 9.1 E. 22 "

58.70 a Sugar 15 " " "

79.96 to Sec. Cor.

North Between Sections 3 & 4

20.60 a B. Ash 10 in. diam.

40.60 Set 2nd Sec. post p. wh.
a B. Ash 10 in. diam. to 170 E. 18 lks. x
an Elm 12 " " " " 58 W. 49 "

60.30 a Beech 8 " " "

77.40 Interrupted N. Boundary at post p. wh.
a Sugar 18 in. diam. to 56 W. 46 lks. x

123 N. R. & E. 2nd Mer. Indiana.
chs. lks.

a Beech 10 in. diam. to 920 E. 62 lks.

Land level rich fine rate
clay soil - B. Walnut, Sugar, Hickory,
Sycam. Sycamom, Beech fr -
Dec. 9, 1846

N. 15 E. Between Sections 32 & 33

2.94 a White wood 30 in. diam.

40.00 Set 2nd Sec. post p. wh.

a B. Ash 8 in. diam. to N. 37 W. 13 lks. x
an Iron 8 " " " " 163 E. 24 "

59.33 a Hickory 12 " "

80.00 Set post Cor. to Sec. 28, 29, 32, 33 p. wh.

a Buckeye 12 in. diam. to N. 70 E. 35 lks. x

a Beech 12 " " " " 44 W. 44 "

Land level rather wet fine
rate Clay soil - Beech, Sugar, Iron-
wood Sycam. W. B. Ash, Maple,
W. B. Oak fr -

189.30 On Random B. to Sec. 28 & 33

16.50 a Stream 4 lks. wide co. N. E.

20.50 a Road N. N. W.

26.50 a Stream 30 lks. wide co. N. W. Rapid
and deep

54.50 a Stream 30 lks. wide co. N. W. do

79.60 Intimated N. Y. Line 30 lks. S. of post
Land fr same as last mile

189.30 Corrected B. to Sec. 28 & 33

19.66 a B. Ash 12 in. diam.

39.80 Set 2nd Sec. post p. wh.

a Beech 6 in. diam. to N. 51 W. 27 lks. x

a do 8 " " " " 72 E. 44 "

59.11 a Hickory 10 " "

79.60 to Sec. Cor.

T. 23 N. R. 6 E. 2nd Mer. Indiana ²³⁹

chs. lks.

North Between Sections 28 & 29

19.65 a Buckeye 12 in. diam.

110.00 Set 2nd Sec. post p. wh.

a Beech 12 in. diam. to N. 86 E. 7 lks. dis.

a Cherry 8 " " " N. 64 W. 15 " "

55.78 a Beech 12 " "

62.50 a Road N. W.

65.50 a Stream 30 lks. wide course N. W.
Rapid and deep

80.00 Set post Co. to Sec. 20, 21, 28, 29. p. wh.

a Lym 10 in. diam. to N. 67 W. 6 lks. x

a Do 10 " " " S. 75 E. 39 "

Land slightly rolling fine water-
clay soil - Beech, N. 213. Ash, Cherry,
Ironwood, White Wood, Lym, Buckeye, p.
Wendth, Spruce & P. Ash.

N. 89.30 E. On Random Betw. Sec. 21 & 28

15.00 a Road E. S. E.

23.00 a Stream 30 lks. wide co. N. W. Rapid
gravelly Bottom

79.75 Intersected N. S. Line 18 lks. S. of post
Land &c same

N. 89.30 W. Cornelia Betw. Sec. 21 & 28

19.40 a Beech 12 in. diam.

39.87 1/2 Set 2nd Sec. post p. wh.

a Sugar 6 in. diam. to N. 55 E. 26 lks. x

a P. Ash 12 " " " N. 5 E. 24 "

75.50 a B. Walnut 36 " "

79.75 to Sec. Co.

N. 10 W. Between Section 20 & 21

10.50 a Road E. S. E.

16.00 a Stream 30 lks. wide co. Westward
Rapid and deep

T 23 N. R. 6 E. 2nd Mer. Indiana.

Chs. Lks.

19.96 a Beech 10 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Sugar 8 in. diam. to 143 W. 14 Lk. &

a Do 8 " " " S. 62 E. 23 "

56.50 a Stream 10 Lks. wide co. S. W. Rapia

61.80 a Beech 12 in. diam.

70.00 Enter Field Ex W. about 600 Ex W.

73.00 a House 3.00 West

77.50 Leave Field Ex W.

80.00 Set post con. to Sec. 16. 17. 20. 21. p. wh.

a Beech 12 in. diam. to 187 E. 27 Lk. &

a Do 14 " " " S. 72 W. 68 "

Land slightly rolling firm
 rate Clay soil Beech, Sugar,
 Hickory, B. Walnut, Sycamore, W. Ash,
 Lym. Ironwood, White Wood &
 Undergrowth P. Ash &c

N 89.30 E. Co. Random Betw. Sec. 16 & 21

10.00 a Stream 10 Lks. wide co. S. W.
Rapia and deep

79.86 Intersected N. P. Line 25 Lk. S. of post

Land slightly rolling firm
 rate Clay soil Beech, Sugar,
 B. Walnut, Cherry, Ironwood, W. Woodpe,
 Undergrowth Spruce & P. Ash

N 89.30 W. Cornelia Betw. Sec. 16 & 21

20.85 a W. Ash 12 in. diam.

39.93 Set 2nd Sec. post p. wh.

a Sugar 6 in. diam. to 125 W. 20 Lk.,

a Hickory 8 " " " S. 52 E. 17 "

61.80 a Beech 12 " "

79.86 to Sec. Co. Dec. 20. 1846

A. 10 W. Between Sec. 16 & 17

T. 23 N. R. 6 E. 2nd Mer. Indiana, 241
Chs. Lks.

21.62 a Beech 10 in. diam.
22.50 a Road E. N. E.
40.00 Set 2nd Sec. post p. wh.
a Beech 18 in. diam. $\frac{1}{4}$ 14 W. 56 lbs. &
a Do 12 " " " N. 78 E. 55 "
66.50 a Road E. & W.
73.42 a Sycamon 24 in. diam.
80.00 Set post Cor. to Sec. 8, 9, 16, 17. p. wh.
a B. Ash 10 in. diam. $\frac{1}{4}$ 14 W. 40 lbs.
a Sycamon 24 " " " N. 61 E. 31 "
Land gently rolling fine
rate Clay soil - Beech, Sugar, Irono.
W. Wood, Sycm. B. Walnut & Magnolia
Spruce & P. Ash -

N. 89.30 E. On Random Bittor. Sec. 9 & 16
30.50 a Road N. E.
58.00 Enter Swamp W. S. W.
76.10 Clear Do W. S. W. water two
ft. deep - Current S. W.
79.72 Interrupted N. 89.30 E. line 30 lbs. N. of post
Land level with fine rate
clay soil - Beech, Sycm. Sugar, Elm,
Hickory, B. Walnut, Irono. White Wood,
Sycamon, W. B. Ash, - P. Ash & Spruce -

N. 89.30 W. Cornelia Bittor. Sec. 9 & 16
20.72 a W. Ash 8 in. diam.
39.86 Set post, 2nd Sec. p. wh.
a Beech 8 in. diam. $\frac{1}{4}$ 23 E. 45 lbs. &
a Do 10 " " " $\frac{1}{4}$ 31 W. 77 "
60.00 a Do 10 " "
79.72 to Sec. Cor.

North Bittoren Sections 8 & 9
18.60 a W. Ash 10 in. diam.

242 T. 23 N. R. 6 E. 2nd Mer. Indiana
cha lks.

40.00 Set 2nd Sec. post pr. wh.
a Beech 10 in. diam. to S 66 E. 16 lks. x
a Do 8 " " " 474 W. 41 "

57.00 a Lym 10 " "

80.00 Set post cor. to Sec. 4, 5, 8, 9 pr. wh.
a B. Ash 10 in. diam. to N 31 E. 17 lks.
an Elm 12 " " " 554 W. 24 "

Land Soil rich first rate
Clay Soil - Beech, Sugar, Lym, Elm,
Hickory, B. Walnut, Ironwood, W. Wood,
Sycamore, N. B. Ash.

N 89 30 E. On Random Betw. Sec. 4 & 9

80.10 Intersected by S. Line 11 lks. N. of post

Land Soil rich first rate
Clay Soil - Beech, Lym, B. Walnut,
Ironwood, Hickory, &c

N 89 30 W. Cornered Betw. Sec. 4 & 9

23.75 a Lym 12 in. diam. to

40.05 Set 2nd Sec. post pr. wh.
a Beech 8 in. diam. to S 8 W. 41 lks. x
a Do 6 " " " 134 E. 39 "

59.60 a Sugar 12 " "

80.10 to Sec. Cor.

N. 15 W. Between Section 4 & 5

15.00 a Stream 4 lks. wide ca. West by

15.20 a B. Ash 10 in. diam.

40.00 Set 2nd Sec. post pr. wh.
a Beech 12 in. diam. to S 73 W. 7 lks. dis.
a Lym 10 " " " N 71 E. 30 " "

44.10 a Hickory 18 " "

76.83 Intersected N. Boundary at post pr. wh.
an Elm 10 in. diam. to S 30 E. 21 lks. x
a Beech 8 " " " 447 W. 41

243

T23 N. R. 6 E. 2nd Mer. Indiana.

Chs. Hs.

Land Sure rich fine rate clay soil.
 Elm. W. B. Ash. Hickory. Sycam.
 W. Wood. Ironb. Sugar. B. Walnut,
 Buckeye. Sycamore & Undergrowth.
 Spruce & P. Ash. Dec. 21. 1846

North Between Sections 31 & 32

Variation 4.20' East

5.10 Clear Low B. Ash Land E. & W.
 19.75 a Beech 8 in diam.
 40.00 Set 2nd Sec. for p. wh.
 a Beech 8 in. diam. to 4.55 E. 23 W. x
 a B. Ash 4 " " " N. 65 W. 5 "
 59.35 a Hickory 12 " "
 80.00 Set for Cor. to Sec. 29, 30, 31, 32 p. wh.
 a Beech 12 in. diam. to N. 23 W. 45 W. x
 a Do 15 " " " S. 3 E. 30 "

Land Sure rich fine rate
 clay soil - W. B. Ash. Elm. Hickory Sycam.
 Sugar. Beech. W. B. Oak.
 Ironwood. White Wood &c

N. 89.30 E. On Random Betw. Sec. 29 & 32

52.00 a Stream 8 - sluggish co. N. E.
 79.93 Intersecta N. 9. S. Line 20 W. S. of - for
 Land is same as last mile -

W. L. Cornelia Betw. Sec. 29 & 32

17.45 a Beech 12 in. diam.
 39.96 1/2 Set 2nd Sec. for p. wh.
 a Beech 8 in. diam. to 4.52 E. 40 W. dis.
 a Do 24 " " " N. 52 W. 50 " "
 57.97 a Beech 10 " "
 79.93 to Sec. Cor.

N. 89.30 W. On Random Betw. Sec. 30 & 31

244 1.23 N. R. & E. 2nd Mer. Indiana.
chs. lks.

78.00 Intersected W. Boundary 40 lks. S. of port
Land level rich first rate
Clay soil. Sugar, Beech, Lym. W.
Wood, B. Walnut, W. & B. Ash.
Sycamore, Buckeye & Green P. Ash.

East Connected Between Sec. 30 & 31
a Lym 10 in. diam. to 424 E. 36 lks.
a W. Wood 10 " " " 463 E. 5. "

18.60 a B. Ash 8 " "

38.00 Set Post Co. to Sec.

a Beech 8 in. diam. to 430 E. 26 lks.

a Do 6 " " " 417 W. 7 "

58.20 a Sugar 18 " "

78.00 to Sec. Co.

North Between Sections 29 & 30

18.75 an Ironwood 8 in. diam.

40.00 Set 2nd Sec. post p. wh.

a W. Ash 12 in. diam. to 477 E. 32 lks.

a Do 12 " " " 423 W. 8 "

62.46 a Sugar 12 " "

80.00 Set Post Co. to Sec. 19, 20, 29, 30 p. wh.

a Beech 12 in. diam. to 476 E. 37 lks.

a Do 12 " " " 469 W. 40 "

Land level first rate Clay soil.
Beech W. Wood, Ironwood, B. Walnut,
Hickory, Lym. W. & B. Oak &c.

189306 Ch. Random Between Sec. 20 & 29

36.00 a Road S. E. of N. W.

37.00 Enter small field N. E. (S. each way -

43.50 Clear Do N. E.)

47.00 a Stream 50 lks. wide co. N. W. Rapid
Stony Bottom

80.35 Intersected N. E. Line 12 lks. S. of port

T. 23 N. R. 6 E. 2nd Mer. Indiana
ch. lks.

Land level fine rate Clay Soil
Sugar, B. Walnut, Beech, W. B. Oak
Elm, Syc., Ironwood, W. Wood, &c.
P. Ash & Spice - East of Stream
small growth of timber

189.30 W. Connected Betw. Sec. 20 & 29
20.11 a Elm 12 in. diam.
40.75 Set 2nd Sec. post (in file) p. wh.
a Dry Sugar - in. diam. 17.38.26 lks. x
a Do 18 " " " 17.38.14 "
62.21 a W. Oak 40 " "
80.35 to Sec. Cor.

189.30 W. On Random Betw. Sec. 19 & 30
75.00 a Stream 10 lks. wide co. N. W. Rapia
a wet weather stream
77.75 Intersected W. Boundary, 28 lks. S. of post
Land slightly rolling fine
rate Clay Soil Beech, B. Walnut,
Sugar, Syc., W. Wood, Ironwood,
Buckeye, Syc. &c. Spice & P. Ash.

189.30 E. Connected Betw. Sec. 19 & 30
a Beech 12 in. diam. 18.30 E. 60 lks. x
a Sugar 18 " " " 18.32 E. 61 "
21.04 a Beech 8 " "
37.75 Set 2nd Sec. post p. wh.
a Beech 8 in. diam. 17.17 E. 20 lks. x
a Syc. 6 " " " 17.36 E. 17 "
58.50 a Sugar 24 " "
77.75 to Sec. Cor.

North Between Sections 19 & 20 Van 2.10' East
15.20 a B. Oak 12 in. diam.
40.00 Set 2nd Sec. post p. wh.

446 T. 23 N. R. 6 E. 2nd Mer. Indiana.
chs. lks.

- a Beech 8 in. diam. b. S. 17 W. 15 lks. abo.
a Do 15 " " " N. 10 E. 21 " "
42.50 a Road E. S. E.
48.50 a stream 50 lks. wide rapia Stony
Bottom. co. N. & W.
65.60 a Beech 12 in. diam.
75.50 a Stream 40 lks. wide rapia
gravelly Bottom co. West
80.00 Set for L. Cor. to Sec. 17, 18, 19, 20 p. wh.
at foot of steep Bank E. & W. 30 ft.
perpendicular
a Beech 12 in. diam. b. N. 19 W. 27 lks. &
a Butternut 12 " " " N. 51 E. 58 "
Land rolling rich
clay soil - Timber, B. Walnut,
Buckeye, Hickory, Beech, Elm,
Lynn, White Wood, Ironw. Box
Wood, Butternut, - P. Ash, & Spice -

-
- 1,593.00 On Random Bets. Sec. 17 & 20
5.00 Ascend steep Bank E. & E. 30 ft. high.
6.00 Enter field N. & S. extend N. 1000 and
South to the top of Bank
15.50 Leave field N. & S.
16.00 Spring Brook 6 lks. wide co. Southwly
20.00 Enter Old clearing N. & S.
30.00 Leave Do N. & S.
65.00 a Trail N. W.
79.80 Intersecta N. & S. line 20 lks. N. of join
Land rolling fine red Clay
soil - Beech, B. Walnut, Sugar W. Wood,
Ironwood, Lynn, Maple, Elm fr.
P. Ash, Spice, Paw-Paw

-
- West Cornuta Bets. Sec. 17 & 20
24.33 a Sugar 10 in. diam.

247

T. 23 N. R. 6 E. 2nd Mer. Indiana

ck. lks.

39.90 Set 2nd Sec. post p. wh.
 a Beech 12 in. diam. θ 436 E. 12 lks. &
 a Buckeye 10 " " " N 74 W. 23 "
 63.30 a Beech 8 " " "
 79.80 to Sec. Cor. L 20th 22, 1846.

N 89° 36' W. Between Sections 18 & 19

5.00 Ascend Steep Bank 15 ft. W. & W.
 22.00 Enter field N. & S. 3/4 Most of the field
 24.00 House 50 lks. N. 3/4 lies N. of the line
 35.00 Leave Field N. & S. 3/4 8.00
 62.00 a Stream 8 lks. wide co. S. E. Spr. Brook
 63.50 Enter Field N. & S.
 72.00 Leave L 20 N. & S.
 77.15 Intermittent N. Boundary 25 lks. N. of post
 Lane rolling firm rate -
 Clay soil - B. Mahogany, Beech, Gum,
 W. & B. Oak, Ironwood, B. Ash, Sugar,
 P. Ash & Spice

N 89° 36' E. Corrected Betw. Sec. 18 & 19

a Beech 14 in. diam. θ 437 E. 33 lks. &
 a L 12 " " " " N 20 E. 66 "
 19.34 a B. Ash 8 " "
 37.15 Set 2nd Sec. post p. wh.
 a Beech 12 in. diam. θ 445 W. 174 lks.
 a Sugar 20 " " " " 435 E. 93 "
 63.45 a W. Oak 30 " "
 77.15 to Sec. Cor.

North Between Sections 17 & 18 Var. 4th E.

1.00 Ascend Bank E. 10 ft. perpendicular
 16.83 an Elm 10 in. diam.
 33.50 a Road N. W. & S. E.
 40.00 Set 2nd Sec. post p. wh.
 a Beech 10 in. diam. θ 468 E. 37 lks.,

T23 N. R. & E. 2nd Mer. Indiana,
ch. lks.

a W. Oak 12 in. diam. b. N56 W20 lks.
59.31 a Beech 18 " "
70.00 a Road W. N. W.
80.00 Set post Cor. to Sec. 7, 8, 17, 18 p. wh.
a Beech 10 in. diam. b. N42 E. 50 lks. &
a Sugar 18 " " a N44 W. 25 "

Land gently rolling firm
rate Clay Soil - Sugar, Beech, B.
Walnut, W. B. Oak, Buckeye, Sycamore,
Spruce & P. Ash.

N. 59.30 E On Random Bets. Sec. 8 & 17
80.20 Interscted N. & S. Line 25 lks. N. of post
Land gently rolling firm
rate Clay Soil - Sugar, Beech,
B. Walnut, W. B. Ash & -

N. 59.30 W. Cornelia Bets. Sec. 8 & 17
20.96 a Beech 8 in. diam.
40.10 Set 2nd Sec. post p. wh.
a Beech 10 in. diam. b. N60 E. 22 lks. &
an Iron. b. " " " N. 29 W. 32 "
61.52 a Beech 8 " "
80.20 to Sec. Cor.

N. 59.30 W On Random Bets. Sec. 7 & 18
76.43 Interscted W. Boundary. 18 lks. N. of post
Land rolling firm rate Clay
Soil - Beech, Sugar, Oak, B. Walnut,
Sycamore, W. Wood, Iron. Sycamore

N. 59.30 E Cornelia Bets. Sec. 7 & 18
a Beech 12 in. diam. b. N. 6 E. 33 lks. do
a Do 12 " " " N. 30 E. 50 " "

W. Wood Iron. Hick. Sycamore

T 23 N. R. & E. 2nd Mer. Indiana. 249

chs. lbs.

- 16.28 a W. Ash 14 in. diam.
 36.43 Set 2nd Sec. post p. wh.
 a Beech 10 in. diam. P. N 40 W. 41 lbs.
 a W. Ash 6 " " " " 9.55 E. 25 "
 63.31 a Sycamore 40 " "
 76.43 to Sec. Cor.

North Between Sections 7 & 8

- 22.72 an Ironwood 8 in. diam.
 44.00 Set 2nd Sec. post p. wh.
 a Buckeye 8 in. diam. P. N 17 W. 39 lbs.
 a Sugar 6 " " " " 9.26 E. 23 "
 55.75 a Stream 10 ft. wide co. N.W.
 55.75 a B. Ash 10 in. diam.
 80.00 Set post Cor. to Sec. 5, 6, 7, 8. p. wh.
 a Beech 12 in. diam. P. N 71 E. 7 lbs.
 a Do 8 " " " " 9.48 W. 42 "
 Land Soil rich fine rate
 Clay soil - B. Walnut, W. Wood, Ironw^d,
 Buckeye &c

189.36 On Random Betw. Sec. 5 & 8

- 80.15 Interrupted N. & S. Line at post
 Land Soil rich fine rate
 Clay soil - B. Walnut, White Wood,
 Ironwood, Beech, Sugar, Gum. W. & B.
 Ash &c - Spruce & P. Ash

189.30 W. On Same Line

- 28.30 a Sugar 10 in. diam.
 40.07 Set 2nd Sec. post p. wh.
 a B. Ash 10 in. diam. P. N 5 E. 34 lbs.
 a Do 10 " " " " 9.37 W. 28 "
 69.15 a B. Oak 20 " "
 80.15 to Sec. Cor.

T. 23 N. R. 6 E. 2nd Mer. Indiana.

cho. lks.

S89.30 W. On Random Betw. Sec 6 & 7

76.10 Intersected W. Boundary at foot

Land Soil fine rate clay soil
B. Walnut, Beech, Buckeye, Sycam. Ironw.
White Wood &c.

N89.30 E. Corrected Betw. Sec 6 & 7

a Beech 12 in. diam. B. N. 58 E. 13 lks.

a Llo 12 " " " " 4.45 E. 51 "

15.20 a Sugar 18 "

36.10 Set 2nd Sec. foot p. wch.

a Beech 15 in. diam. B. N. 35 W. 38 lks.

a Llo 24 " " " " 4.17 W. 67 "

67.31 a B. Ash 10 " "

76.10 to Sec. Cor.

N. 5th. Between Section 5 & 6.

3.64 a W. Oak 8 in. diam.

40.00 Set 2nd Sec. foot p. wch.

a Beech 12 in. diam. B. N. 33 E. 15 lks.

a Llo 8 " " " " 4.61 W. 12 "

61.28 a W. Wood 12 "

75.68 Intersected W. Boundary at foot p. wch.

a B. Ash 8 in. diam. B. N. 32 E. 40 lks.

an Elm 24 " " " " 4.71 W. 43 "

Land Soil rich Clay soil
Elm. W. & B. Ash, Hickory, Sycam. W.
Wood, Ironwood, Sugar, B. Walnut,
Buckeye, Sycam. &c. - Spruce & P. Ash.
Sept. 23. 1846.

Genl. Description

This Township is low
fine rate clay soil - good farming
Land - Timbered with B. Walnut,

251

T. 23 N. R. 6 E. 2nd Mer. Indiana;

Beech, Sugar, Hickory, Linn. Ironwood,
Elm, Maple, Sycamore, W. B. Ash,
Buckeye, W. Wood, P. Ash, & Spice.

Streams running through this
Township are sluggish and part
of the Season dry, but at present
much swollen by heavy rains.

There are some Squatters in
this Township, Anxious to purchase

I James H. Mullett
do solemnly swear that in pursuance
of a Contract between Lucius Lyon
Surveyor General of the United
States, for the States of Ohio
Indiana and Michigan, and
John Mullett Depy. Surveyor bearing date
the 10th day of July 1846, - And
in strict conformity to the Laws
of the United States and the
instructions of said Surveyor
General - I have Surveyed and
Subdivided into Sections Township
N. 23 N Range N. 6 E, Indiana,

And I do further swear that the
forgoing are the true and Original
Field Notes of the said Survey and
Sub-division executed as aforesaid
by me for the said John Mullett

Depy. Surveyor

I doorn and Subscribed before me
this 17th day of March 1847

A. T. Bachus

Justice of the Peace Wayne Co. Michigan

I certify that the foregoing transcript of the
Field notes of Township N^o. 23 N. Range 6 E. 2^d Mer.
Indiana, has been compared with the original
notes in this office, & found to be correct,
Surveyor General's Office,
Detroit Nov. 1. 1849 }

Lucius Lyon,
S^{ur}. Genl.